



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 09/750,921 | 01/02/2001 | Kyoung Jin Kang | P-170 | 7352 |

34610 7590 06/04/2004

FLESHNER & KIM, LLP
P.O. BOX 221200
CHANTILLY, VA 20153

EXAMINER

CHAI, LONGBIT

ART UNIT PAPER NUMBER

2131

DATE MAILED: 06/04/2004

5

Please find below and/or attached an Office communication concerning this application or proceeding.

14

Office Action Summary

Application No.

09/750,921

Applicant(s)

KANG ET AL.

Examiner

Longbit Chai

Art Unit

2131

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 03 March 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☐ Claim(s) _____ is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 02 January 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Priority

1. Acknowledgment is made of applicant's claim for priority under 35 U.S.C. 119(a)-(d) based upon an application filed in Korea on 12/20/1999. A claim for priority under 35 U.S.C. 119(a)-(d) cannot be based on said application, since the United States application was filed more than twelve months thereafter.
2. The effective filing date for the subject matter defined in the pending claims in this application is 1/2/2001.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. **Claims 1 – 3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Elgamal (Patent Number: 5657390), hereinafter referred to as Elgamal.**

2. As per claim 1, Elgamal teaches a security protocol structure in an application layer, comprising: a secure session layer between a session layer and an application layer, wherein the secret session layer provides a data security function in the

Art Unit: 2131

application layer (Elgamal: see for example, Column 11 Line 10 – 38 and Column 6 Line 14 – 18: Elgamal teaches the application layer security mechanism where the SSL (Secure Socket Layer) provides a security protocol through the socket connections for the application programs (sockets API) .

3. Elgamal does not expressly teach a secure session layer between a session layer and an application layer due to the lack of presentation layer and session layer in the internet model.

4. However, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the secure socket layer protocol in the internet model to accommodate the secure session layer in the OSI model because (a) both of them directly interface with application layer to achieve the same security objects, and (b) a socket connection indeed establishes an application-level session for the transaction between the client and server.

5. As per claim 2, Elgamal as modified teaches the claimed invention as described above (see claim 1). Elgamal as modified further teaches the secure session layer further comprises a secured session layer security (SSLS) protocol to provide a secret session interface to an application program (Elgamal: see for example, Column 6 Line 15: Elgamal discloses a secured socket API plus a security protocol to interface the application layer. Also see same rationale in rejecting the claim.1).

6. As per claim 3, Elgamal teaches the claimed invention as described above (see claim 1). Elgamal further teaches the protocol structure comprising a network layer, a transport layer, a security layer, and a transaction layer (Elgamal: see for example,

Figure 1 & 8 and Column 11 Line 35 – 38: Elgamal discloses every layer listed except session and transaction layer. However, both layers are on applicant's own admission of the prior-art (background art) in Figure 1. Besides, the SSL socket layer with socket session connections during a transaction between the client and server is equivalent to the transaction layer).

7. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Elgamal (Patent Number: 5657390), hereinafter referred to as Elgamal, in view of Binding (Patent Number: US 6694431 B1), hereinafter referred to as Binding.

8. As per claim 4, Elgamal as modified teaches the claimed invention as described above (see claim 3). Elgamal as modified does not teach the transport layer comprises a wireless datagram protocol, the security layer comprises a wireless transport layer security, the transaction layer comprises a wireless transaction protocol, the session layer comprises a wireless session protocol, and the application layer comprises a wireless application environment.

9. Binding teaches the transport layer comprises a wireless datagram protocol, the security layer comprises a wireless transport layer security, the transaction layer comprises a wireless transaction protocol, the session layer comprises a wireless session protocol, and the application layer comprises a wireless application environment (Binding: see for example, Column 3 Line 5 – 12 and Column 4 Line 67).

Art Unit: 2131

10. It would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teaching of Binding within the system of Elgamal because the security perspective on wireless protocol needs to be defined in the wireless application environment.

11. Claims 5, 6, 8, 10 – 15 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Elgamal (Patent Number: 5657390), hereinafter referred to as Elgamal, in view of Chen (Patent Number: US 6182220 B1), hereinafter referred to as Chen.

12. As per claim 5, Elgamal as modified teaches the claimed invention as described above (see claim 1). Elgamal as modified does not teach a shared secret value is stored by a client and a server, and wherein the shared secret value is a pre-master secret.

13. Chen teaches a shared secret value is stored by a client and a server, and wherein the shared secret value is a pre-master secret (Chen: see for example, Column 3 Line 48 – 52: Chen teaches the authentication mechanism for encryption and decryption includes the parameter of a user variable name (or a plain text password) in addition to the client random and server random values. The parameter of a user variable name (or a plain text password) is qualified as a shared pre-master secret value stored by a client and a server).

Art Unit: 2131

14. It would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teaching of Chen within the system of Elgamal because Chen teaches (a) an improved system and method for building encrypted information (Chen: see for example, Column 1 Line 55 – 58), and (b) an enhanced client can generate a compatible encrypted secret using the proposed parameters and block cipher techniques between the client and server without using asymmetric public/private key (Chen: see for example, Column 3 Line 44 – 46) to deliver the client master secret so that the user cost can be reduced especially in the low bandwidth wireless environment.

15. As per claim 6, Elgamal teaches a method of establishing a security protocol structure in an application layer, comprising:

- a. receiving a first message containing a client random value from a client (Elgamal: see for example, Column 22 Line 1 – 4);
- b. determining whether the first message is a valid message (Elgamal: see for example, Column 22 Line 3 – 4);

16. Elgamal does not teach extracting a pre-master secret from the first message.

17. Chen teaches:

- c. extracting a pre-master secret from the first message (Chen: see for example, Column 3 Line 41 – 52: Chen discloses the server extracts the plain text password based on the client ID (or user name) in order to generate a encrypted secret (i.e.

Art Unit: 2131

encrypted password) compatible to the one that the client creates. The plain text password is qualified as a pre-master secret between the client and the server);

18. It would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teaching of Chen within the system of Elgamal because Chen teaches (a) an improved system and method for building encrypted information (Chen: see for example, Column 1 Line 55 – 58), and (b) an enhanced client can generate a compatible encrypted secret using the proposed parameters and block cipher techniques between the client and server without the need using asymmetric public/private keys (Chen: see for example, Column 3 Line 44 – 46) to deliver the client master secret so that the user cost can be reduced especially in the low bandwidth wireless environment.

19. Elgamal teaches:

- d. generating a specific server random value (Elgamal: see for example, Figure 4 and Column 23 Line 27 – 28);
- e. generating and transmitting a second message to the client to pass the server random value to the client (Elgamal: see for example, Figure 4);

20. Elgamal does not teach generating a master secret in accordance with the extracted pre-master secret, client random value, and server random value.

21. Chen teaches:

- f. generating a master secret in accordance with the extracted pre-master secret, client random value, and server random value (Chen: see for example, Column 3 Line 48 – 51);

22. The same rationale of combination applied here as above in rejection claim 6 (c).

23. Elgamal teaches:

g. generating a key block in accordance with the master secret, client random value, and server random value (Elgamal: see for example, Column 22 Line 3 – 4: Elgamal teaches that CHALLENGE reads on client random and CONNECTION-ID reads on server random as CONNECTION-ID is a string of randomly generated bytes (Elgamal: see for example, Column 23 Line 27 – 28);

h. generating from the key block an encryption key value for encryption and decryption algorithms and Message Authentication Code (MAC) algorithms (Elgamal: see for example, Column 28 Line 37 – 49: Elgamal teaches session key production phase where MAC key and the encryption /decryption keys for the client and server is obtained from the key block);

i. generating a third message indicating that encryption is activated (Elgamal: see for example, Figure 5 and Column 28 Line 51: Elgamal teaches the first message is client-hello message, the second message (from the server) is server-hello message, the third message (from the client) is the client-finish message (or client ChangeCipherSpec message), the fourth message (from the server) is server-verify message which indicates all the message data is encrypted (i.e. encryption is activated) and indicate the client is ready to verify the encrypted information from the server and the very last message (from the server) is server-finish message that include the entire encrypted handshake record being sent by the server to be verified by the client.

24. Elgamal does not teach to move the client-finish message down to the bottom of the protocol exchange flow (and renamed as client ChangeCipherSpec record message transmitted by the client) and become the very last message prior to the completion of the protocol exchange.

25. It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify switching the message sequence between the server-finish and client-finish messages to accommodate the server ChangeCipherSpec message as the third message and the client-finish (or client ChangeCipherSpec) message as the very last message to complete the message handshake process because (a) the combination of Elgamal-Chain system teaches that the client has no need to send the master key to the server and, instead, the master key is generated from the pre-master secret pre-stored at the client and server sides and thereby there is no need for the client to activate ChangeCipherSpec (or client-finish) message in advance to the server finish message after the master key has been sent during the regular SSL protocol section, and (b) either way would work just equally efficient.

j. generating a fourth message to verify that the client has generated a client master secret identical to the master secret (Elgamal: see for example, Figure 5 and Column 32 Line 7 – 37).

26. As per claim 8, Elgamal as modified teaches the claimed invention as described above (see claim 6). Elgamal as modified further teaches the pre-master secret is a shared pre-master secret, and wherein the server manages the shared pre-master secret corresponding to the first message in a database (Chen: see for example,

Column 3 Line 48 – 52: Chen teaches the authentication mechanism for encryption and decryption includes the parameter of a user variable name (or a plain text password) in addition to the client random and server random values. The parameter of a user variable name (or a plain text password) is qualified as a shared pre-master secret value managed by the server corresponding to the index of userID sent in the first client-hello message).

27. As per claim 10, Elgamal as modified teaches the claimed invention as described above (see claim 6). Elgamal as modified further teaches the fourth message is a Finished message, and is transmitted from a record layer (Elgamal: see for example; Figure 5 and Column 30 Line 56 and Column 32 Line 10 – 13).

28. As per claim 11, Elgamal as modified teaches the claimed invention as described above (see claim 10). Elgamal as modified further teaches the Finished message is transmitted using the encryption key and MAC key values, and indicates that encrypted communications have been established (Elgamal: see for example, Column 30 Line 56 – 57, Column 32 Line 15 – 18 and Column 32 Line 29 – 30).

29. As per claim 12, Elgamal as modified teaches the claimed invention as described above (see claim 6). Elgamal as modified further teaches the client computes values of the master secret, the key block, the encryption key, and the MAC key after receiving and processing the second message (see same rationale in rejecting the claim 6 (e), (f), (g) and (h)).

Art Unit: 2131

30. As per claim 13, Elgamal as modified teaches the claimed invention as described above (see claim 6). Elgamal as modified further teaches the third message is a ChangeCipherSpec message (see same rationale in rejecting the claim 6 (i)).

31. As per claim 14, Elgamal as modified teaches the claimed invention as described above (see claim 6). Elgamal as modified further teaches the encryption key is extracted from the key block in such a manner that a 16 byte client MAC key, 16 byte client encryption key, 8 byte client IV, 16 byte server MAC key, 16 byte server encryption key, and 8 byte server IV are sequentially allocated from the key block (Elgamal: see for example, Column 26 Line 40 – 50 and Column 25 Line 31 – 34).

32. As per claim 15, Elgamal as modified teaches the claimed invention as described above (see claim 6). Elgamal as modified further teaches the first message and the second message comprise a Handshake message (Elgamal: see for example, Figure 5).

33. As per claim 18, Elgamal as modified teaches the claimed invention as described above (see claim 6). Elgamal as modified further teaches the client verifies that encryption is activated after receiving and processing the third message (see same rationale in rejecting the claim 6 (i)).

34. Claims 16, 17 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Elgamal (Patent Number: 5657390), hereinafter referred to as Elgamal, in view of Chen (Patent Number: US 6182220 B1), hereinafter referred to as Chen, and in view of Binding (Patent Number: US 6694431 B1), hereinafter referred to as Binding.

35. As per claim 16, Elgamal as modified teaches the claimed invention as described above (see claim 15). Elgamal as modified does not teach the Handshake message is formed by concatenating the first message and the second message.

36. Binding teaches the Handshake message is formed by concatenating the first message and the second message (Binding: see for example, Column 4 Line 51 – 55).

37. It would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teaching of Binding within the system of Elgamal-Chen because Binding teaches a message piggy-backed technique for establishing and maintaining end-to-end security session while providing a secure low-overhead connection between a client and server application (Binding: see for example, Column 4 Line 4 Line 47 – 49).

38. As per claim 17, Elgamal as modified teaches the claimed invention as described above (see claim 6). Elgamal as modified further teaches the second message is a

Art Unit: 2131

ServerHello message, the third message is a ChangeCipherSpec message, and the fourth message is a Finished message (see same rationale in rejecting the claim 6(i)).

39. Elgamal as modified does not teach the second, third, and fourth messages are concatenated together to be transmitted to the client.

40. Binding teaches the second, third, and fourth messages are concatenated together to be transmitted to the client (Binding: see for example, Column 4 Line 4 Line 51 – 65).

41. Same rationale of combination applies here as above in rejecting the claim 16.

42. As per claim 19, Elgamal as modified teaches the claimed invention as described above (see claim 6). Elgamal as modified further teaches a security protocol comprises a Secured Session Layer Security protocol and the communications protocol comprises a Wireless Application Protocol (see same rationale in rejecting the claims 2 and 4).

43. Claims 7, 9 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Elgamal (Patent Number: 5657390), hereinafter referred to as Elgamal, in view of Chen (Patent Number: US 6182220 B1), hereinafter referred to as Chen, and in view of Wall (Patent Number: US 6654806 B2), hereinafter referred to as Wall.

44. As per claim 7, Elgamal as modified teaches the claimed invention as described above (see claim 6). Elgamal as modified does not teach the client random value is a client ID.

Art Unit: 2131

45. Wall teaches the client random value is a client ID (Wall: see for example, Column 10 Line 63 – 67 and Column 11 Line 1 – 4: Wall teaches 64-bit number UserID and 128-bit random number secret code entered on a client terminal by a subscriber from the smart card – This user information stored on the smart card is qualified to be used as the unique identifier for the client).

46. It would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teaching of Wall within the system of Elgamal-Chen because Wall discloses the interconnect fabric implemented in a wireless environment using smart card (Wall: see for example, Column 8 Line 63 – 65).

47. As per claim 9, Elgamal as modified teaches the claimed invention as described above (see claim 8). Elgamal as modified does not teach the client random in the first message is a client ID entered on a client terminal by a subscriber.

48. Wall teaches the first message is a client ID entered on a client terminal by a subscriber from the smart card (Wall: see for example, Column 10 Line 63 – 67 and Column 11 Line 1 – 4: Wall teaches the client ID carries a random number. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify that the first message random value comes from the client ID because Wall teaches the client ID carries a random number).

49. Same rationale of combination applies here as above in rejecting the claim 7.

50. As per claim 20, Elgamal as modified teaches the claimed invention as described above (see claim 7). Elgamal as modified does not teach a subscriber inputs the client

Art Unit: 2131

ID into a wireless communications device to establish secure communications with a server using a Wireless Application Protocol.

51. Wall teaches a subscriber inputs the client ID into a wireless communications device through the smart card (Wall: see for example, Column 8 Line 63 – 65, Column 10 Line 63 – 67 and Column 11 Line 1 – 4).


52. Same rationale of combination applies here as above in rejecting the claim 7.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Longbit Chai whose telephone number is 703-305-0710. The examiner can normally be reached on Monday-Friday 8:00am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz R Sheikh can be reached on 703-305-9648. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Longbit Chai


SUPERVISOR AYAZ SHEIKH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100